

ATLD/AB



Features

Manufactured from high grade die-cast aluminium. Permanent earth on stirrup bracket for GU10 mains earthing.

Generous size of terminal housing for ease of wiring.



General Information

Lamp Type	GU10
Colour / Finish	Antique Brass
OCTO Compatibility	Smart Indoor controller
IP Rating	IP20
Class Protection	1
Internal / External	Internal
Surface / Recessed / Suspended	Recessed
Warranty (Years)	5
CE Mark	Yes
Diameter (mm)	82
Height (mm)	108
Accessories	ATL/BA

Technical Information

Wattage

50W



Technical Data - ETIM - Downlight/spot/floodlight (EC001744)

Suitable for surface mounting	Νο
Suitable for built-in mounting	Yes
Suitable for wall mounting	Νο
Suitable for suspended mounting	Νο
Suitable for ceiling mounting	Yes
Suitable for traverse mounting	Νο
Suitable for pedestal/floor mounting	Νο
Suitable for light-track mounting	Νο
Adjustability	Not adjustable
With movement sensor	Νο
With light sensor	Νο
With light source	Νο
Suitable for number of lamps	1
Lamp holder	GU10
Material housing	Aluminium
Colour housing	Brass
Degree of protection (IP)	IP20
Protection class	1
Max. system power	50 W
Width	160 mm
Height/depth	108 mm
Outer diameter	82 mm

Datasheet generated from https://onetimepim.com last updated Friday, February 18, 2022 12:23:41 PM





